

## PILLOWCASE DIRECTIONS

### Step 1: Cut Out Fabric Pieces

From Main Fabric, (pillow case body) cut 1 piece that is 27" x WOF (WOF = width of fabric)

From Cuff, (coordinating fabric) cut 1 piece that is 9" X WOF

From Trim Fabric (Flange), cut 1 piece that is 2" X WOF

### Step 2: Assembling the Pieces

Lay the Cuff out flat with the right side facing up. Place the main fabric on top of cuff, right side up, matching edges. With wrong sides together, fold the Trim (Flange) piece in half lengthwise and press. Place folded flange on top of main fabric. Pin all layers together.

### Step 3: Why It's Called a Burrito

Starting at the bottom of the Pillowcase Body, begin rolling the fabric towards the top edge. Continue to roll up the Pillowcase Body until it is a few inches from the top edge.

Take the bottom edge of the Cuff fabric and wrap it over the rolled up Pillowcase Fabric. See how the Cuff wraps over the Pillowcase Body, like a burrito.

Pin through all layers of fabric. Using a 3/8" seam allowance, sew along the raw edge. Fold back the Cuff and carefully pull out the Pillowcase Body.

#### **Step 4: Side and Bottom Seams**

You can use a French seam, double seam or a serger for the side and bottom seams

Fold right sides of the Pillowcase together, matching up the Cuff and Flange fabrics on the seam line. Pin around the raw edges on the side and bottom of the Pillowcase and stitch. Turn right side out and press.

For a helpful video:

[Missouri Star Video Easy Tube Pillow Case Tutorial](#)